

The hrefhide package

H.-Martin Münch
<Martin.Muench at Uni-Bonn.de>

2025-01-27 v1.1b

Abstract

This L^AT_EX package allows to “hide” some (hyperlinked) text when printing the document while keeping the layout and to simulate switching `ocgcolor` of `hyperref` package on and off. –
This package is possibly obsolete, see section 3: Alternatives.

Disclaimer for web links: The author is not responsible for any contents referred to in this work unless having full knowledge of illegal contents. If any damage occurs by the use of information presented there, only the author of the respective pages might be liable, not the one who has referred to those pages.

Contents

1	Introduction	2
2	Usage	2
2.1	Options	2
2.1.1	linktextcolour	2
2.1.2	backgroundcolour	2
2.1.3	pdfborder	2
3	Alternatives	3
4	Example	3
5	The implementation	6
6	Installation	9
6.1	Downloads	9
6.2	Package, unpacking TDS	10
6.3	Refresh file name databases	10
6.4	Some details for the interested	10
6.5	Compiling the example	11
7	Acknowledgements	11
8	History	11
	[2010/02/18 v0.1]	11
	[2010/06/01 v1.0(a)]	11
	[2010/06/03 v1.0b]	11
	[2010/06/24 v1.0c]	11
	[2010/07/29 v1.0d]	12
	[2011/02/01 v1.0e]	12
	[2011/04/29 v1.0f]	12
	[2023-02-26 v1.1a]	12
	[2025-01-27 v1.1b]	12

1 Introduction

This L^AT_EX package provides the command `\hrefdisplayonly` (additionally to `\href` of the `hyperref` package). While the (hyperlinked) text appears like an ordinary `\href` in the compiled `.pdf`-file, the same text will be “hidden” when printing the text. It is not really invisible, but just has the same color as the background (default: `white`). Therefore the layout is not changed when printing the document.

Further the commands `\hycon` and `\hycoff` (hyper-colour-on/off) can be used to *simulate* switching option `ocgcolorlinks` of the `hyperref` package on and off. This package is probably obsolete, see section 3: Alternatives.

2 Usage

Just load the package placing

```
\usepackage[<options>]{hrefhide}
```

in the preamble of your L^AT_EX 2_ε source file **after** the `hyperref` package. For a link, which shall not be printed, use `\hrefdisplayonly` instead of `\href`. This might be practical for example for internal links, which make no sense in a printed version (“Click here” does not work with physical paper).

`\hypersetup{ocgcolorlinks=true}` and `\hypersetup{ocgcolorlinks=false}` may work – or they may not. (`ocgcolorlinks` is a decision to be made in the preamble and performs changes which cannot easily be reverted.) But it is possible to use `ocgcolorlinks` while letting the links *appear* as if `ocgcolorlinks=false` was chosen. Therefore this package provides the command `\hycoff` (and `\hycon` to switch back to default `ocgcolorlinks=true` behaviour). Note that `ocgcolorlinks=true` really is enabled, therefore all limitation of this apply (e. g. no breaks in links).

2.1 Options

options The `hrefhide` package takes the following options:

2.1.1 linktextcolour

linktextcolour The option `linktextcolour` takes the color of the text of the links. The default is `black`.

2.1.2 backgroundcolour

backgroundcolour The option `backgroundcolour` takes the color of the background of the links. The default is `white`.

2.1.3 pdfborder

pdfborder The option `pdfborder` takes the configuration of the `pdfborder` around the link. The default is `{0 0 1}`, i. e. a 1 pt rectangular line. `{0 0 0}` means no line.

3 Alternatives

`ocgcolorlinks` If option `ocgcolorlinks` (of the `hyperref` package) is already used in your document (i.e. you *want* colored links), do **NOT** use this `hrefhide` package to hide links! For a link to be “hidden”, just say

```
{\color{white} \href{...}{...}}
```

(and replace `white` with the background color; when the `pagecolor` package is used, `\thepagecolor` instead of `white` should be used).

`pdfcomment` For hiding text, which does not contain links, the `pdfcomment` package by JOSEF KLEBER should be noted.

`ocgx2` This `hrefhide` package is probably obsolete. Using the `ocgx2` package

```
\usepackage[<options>]{ocgx2}
\begin{ocg}[<options>]{<layer name>}{<OCG id>}{<initial visibility>}
... material to be put on a PDF layer ...
\end{ocg}
```

one can say

```
\begin{ocg}[printocg=never, exportocg=never, listintoolbar=never%
]{MyLayer}{example}{1}%
\hyperref[RefB]{B} \url{https://ctan.org/} simple text etc.%
\end{ocg}%
```

and the links will be visible in the pdf document but will turn into blank space when printed.

4 Example

```
1 (*example)
2 \NeedsTeXFormat{LaTeX2e}[2024-11-01]
3 \documentclass[british]{article}[2024/06/29]% v1.4n Standard LaTeX document class
4 \usepackage[lipsum][2021-09-20]% v2.7 150 paragraphs of Lorem Ipsum dummy text
5 \usepackage[ocgcolorlinks,bookmarks=false,bookmarksopen=false%
6 ]{hyperref}[2024-11-05]% v7.011 Hypertext links for LaTeX
7 % Bookmarks are not needed here, but are possible, of course.
8 \hypersetup{extension=pdf,%
9 plainpages=false,%
10 pdfpagelabels=true,%
11 hyperindex=false,%
12 pdflang={en},%
13 pdftitle={hrefhide package example},%
14 pdfauthor={H.-Martin Muench},%
15 pdfsubject={Example for the hrefhide package},%
16 pdfkeywords={LaTeX, hrefhide},%
17 pdfview=Fit,pdfstartview=Fit,%
18 pdfpagelayout=SinglePage%
19 }
20 \usepackage[linktextcolour=black,backgroundcolour=white,pdfborder={0 0 1}%
21 ]{hrefhide}[2025-01-27]% v1.1b Hiding hyperrefs when printing pdf files (HMM)
22 \listfiles
23 \begin{document}
24 \pagenumbering{arabic}
25 \section*{Example for hrefhide}
26 \markboth{Example for hrefhide}{Example for hrefhide}
27
28 This example demonstrates the use of package\newline
29 \textsf{hrefhide}, v1.1b as of 2025-01-27 (HMM).\newline
```

30 The used options were `\texttt{linktextcolour=black}`,

31 `\texttt{backgroundcolour=white}`, and `\texttt{pdfborder={0 0 1}}`

32 (the default ones).\newline

33 For more details please see the documentation!\bigskip

34

35 `\textit{Print-\textbf{preview}}` the first page of this document

36 and compare it with the page as displayed in your pdf reader.}\bigskip

37

38 Lorem ipsum dolor sit amet `\href{\#target}{link to target}` consectetur

39 adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet

40 dolore magna aliquam erat volutpat.

41

42 Ut wisi enim ad minim

43 veniam `\hrefdisplayonly{\#target}{hidden link to target}` quis nostrud

44 exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea

45 commodo consequat.

46

47 Duis autem vel eum iriure dolor `\href{\#target}{link to target}` in

48 hendrerit in vulputate velit esse molestie consequat, vel illum dolore

49 eu feugiat nulla facilisis at vero eros et accumsan et iusto odio

50 dignissim qui blandit praesent luptatum zzril delenit augue

51 dui dolore te feugait nulla facilisi.

52

53 `\noindent \textbf{\textsf{%`

54 `\hrefdisplayonly{\#RefA}{A}`

55 `\hrefdisplayonly{\#RefB}{B}`

56 `\hrefdisplayonly{\#RefC}{C}`

57 `\hrefdisplayonly{\#RefD}{D}`

58 `\hrefdisplayonly{\#RefE}{E}`

59 `\hrefdisplayonly{\#RefF}{F}`

60 `\hrefdisplayonly{\#RefG}{G}`

61 `\hrefdisplayonly{\#RefH}{H}`

62 `\hrefdisplayonly{\#RefI}{I}`

63 `\hrefdisplayonly{\#RefJ}{J}`

64 `\hrefdisplayonly{\#RefK}{K}`

65 `\hrefdisplayonly{\#RefL}{L}`

66 `\hrefdisplayonly{\#RefM}{M}`

67 `\hrefdisplayonly{\#RefN}{N}`

68 `\hrefdisplayonly{\#RefO}{O}`

69 `\hrefdisplayonly{\#RefP}{P}`

70 `\hrefdisplayonly{\#RefQ}{Q}`

71 `\hrefdisplayonly{\#RefR}{R}`

72 `\hrefdisplayonly{\#RefS}{S}`

73 `\hrefdisplayonly{\#RefT}{T}`

74 `\hrefdisplayonly{\#RefU}{U}`

75 `\hrefdisplayonly{\#RefV}{V}`

76 `\hrefdisplayonly{\#RefW}{W}`

77 `\hrefdisplayonly{\#RefX}{X}`

78 `\hrefdisplayonly{\#RefY}{Y}`

79 `\hrefdisplayonly{\#RefZ}{Z}}`\linebreak

80

81 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit,

82 vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida

83 mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna.

84

85 Switching to colored links with `\verb|\hycon|`:\newline

86 `\hycon%`

87 `\href{\#RefX}{section X}` and also

88 `\href{https://ctan.org/pkg/hrefhide}{https://ctan.org/pkg/hrefhide}`.

89

90 Switching off the colored links with `\verb|\hycoff|` again:\newline

91 `\hycoff%`

```

92 \href{\#RefX}{section X} and also
93 \href{https://ctan.org/pkg/hrefhide}{https://ctan.org/pkg/hrefhide}.
94 \pagebreak
95
96 {\Large \textbf{Targets}}\newline
97 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam
98 nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat
99 volutpat. \hypertarget{target}{target text} Ut wisi enim ad minim
100 veniam, quis nostrud exerci tation ullamcorper suscipit lobortis
101 nisl ut aliquip ex ea commodo consequat.
102
103 \section[A]{\hypertarget{RefA}{A}} \lipsum[1]
104 \section[B]{\hypertarget{RefB}{B}} \lipsum[1]
105 \section[C]{\hypertarget{RefC}{C}} \lipsum[1]
106 \section[D]{\hypertarget{RefD}{D}} \lipsum[1]
107 \section[E]{\hypertarget{RefE}{E}} \lipsum[1]
108 \section[F]{\hypertarget{RefF}{F}} \lipsum[1]
109 \section[G]{\hypertarget{RefG}{G}} \lipsum[1]
110 \section[H]{\hypertarget{RefH}{H}} \lipsum[1]
111 \section[I]{\hypertarget{RefI}{I}} \lipsum[1]
112 \section[J]{\hypertarget{RefJ}{J}} \lipsum[1]
113 \section[K]{\hypertarget{RefK}{K}} \lipsum[1]
114 \section[L]{\hypertarget{RefL}{L}} \lipsum[1]
115 \section[M]{\hypertarget{RefM}{M}} \lipsum[1]
116 \section[N]{\hypertarget{RefN}{N}} \lipsum[1]
117 \section[O]{\hypertarget{RefO}{O}} \lipsum[1]
118 \section[P]{\hypertarget{RefP}{P}} \lipsum[1]
119 \section[Q]{\hypertarget{RefQ}{Q}} \lipsum[1]
120 \section[R]{\hypertarget{RefR}{R}} \lipsum[1]
121 \section[S]{\hypertarget{RefS}{S}} \lipsum[1]
122 \section[T]{\hypertarget{RefT}{T}} \lipsum[1]
123 \section[U]{\hypertarget{RefU}{U}} \lipsum[1]
124 \section[V]{\hypertarget{RefV}{V}} \lipsum[1]
125 \section[W]{\hypertarget{RefW}{W}} \lipsum[1]
126 \section[X]{\hypertarget{RefX}{X}} \lipsum[1]
127 \section[Y]{\hypertarget{RefY}{Y}} \lipsum[1]
128 \section[Z]{\hypertarget{RefZ}{Z}} \lipsum[1]
129 \end{document}
130 /example)

```

5 The implementation

We start off by checking that we are loading into L^AT_EX 2_ε and announcing the name and version of this package.

```
131 (*package)
132 \NeedsTeXFormat{LaTeX2e}[2024-11-01]
133 \ProvidesPackage{hrefhide}[2025-01-27 v1.1b %
134   Hiding hyperrefs when printing pdf files (HMM)]
135 %% Allows to "hide" hyperlinked text in a pdf file when printing
136 %% ("Click here" does not work on physical paper)
137 %% by providing the command \hrefdisplayonly
138 %% and allows simulating to switch on/off ocgcolourlinks
139 %% of the hyperref package.
140
141 \@ifl@t@r\fmtversion{2024/11/01}{% would have understood
142 % \IfFormatAtLeastTF{2024-11-01}{<true code>}{<>false code>}
143 }{\PackageError{hrefhide}{%
144   Newer LaTeX format needed or older hrefhide package%
145   }{Needed LaTeX format version: 2024-11-01 or newer.\MessageBreak%
146   Found\space\space LaTeX format version: \fmtversion.\MessageBreak%
147   Please update your TeX distribution.
148   }
149 }
150
```

We need the xcolor package by DR. UWE KERN

```
151 \RequirePackage{xcolor}[2024/09/29]% v3.02 LaTeX color extensions (UK)
```

and the hyperref package:

```
152 \RequirePackage[ocgcolorlinks]{hyperref}[2024-11-05]% v7.011 Hypertext links for LaTeX
```

See subsection 6.1 about how to get them.

The options are introduced:

```
153
154 \DeclareKeys [hrefhide]
155 {linktextcolour .store = \hrefhide@linktextcolour ,
156 linktextcolour .usage = preamble ,
157 backgroundcolour .store = \hrefhide@backgroundcolour ,
158 backgroundcolour .usage = preamble ,
159 pdfborder .store = \hrefhide@pdfborder ,
160 pdfborder .usage = preamble
161 }
162
163 \SetKeys [hrefhide]{linktextcolour=black,backgroundcolour=white,pdfborder={0 0 1}}
164
165 \ProcessKeyOptions [hrefhide]
166
167 \newif\ifhrefhide
168
```

The new commands are defined:

```
\hycon 169 \DeclareRobustCommand{\hycon}{%
170   \ifhrefhide%
171   \PackageWarning{hrefhide}{\string\hycon\space called when OCG-link %
172     coloring was not OFF\MessageBreak%
173     - nothing done}%
174   \else%
175   \@ifundefined{@anchorbordercolor}{%
176     \hypersetup{anchorcolor=\hrefhide@anchorbordercolor}%
177   }{%
178     \definecolor{hyanchorbordercolor}{rgb}{\@anchorbordercolor}%
179     \hypersetup{anchorcolor=hyanchorbordercolor}%
180   }%

```

because there is no `anchorborder(color)` in `hyperref`.

```
181 \definecolor{hycitebordercolor}{rgb}{\@citebordercolor}%
182 \hypersetup{citecolor=hycitebordercolor}%
183 \definecolor{hyfilebordercolor}{rgb}{\@filebordercolor}%
184 \hypersetup{filecolor=hyfilebordercolor}%
185 \definecolor{hylinkbordercolor}{rgb}{\@linkbordercolor}%
186 \hypersetup{linkcolor=hylinkbordercolor}%
187 \definecolor{hymenubordercolor}{rgb}{\@menubordercolor}%
188 \hypersetup{menucolor=hymenubordercolor}%
189 \definecolor{hyrunbordercolor}{rgb}{\@runbordercolor}%
190 \hypersetup{runcolor=hyrunbordercolor}%
191 \definecolor{hyurlbordercolor}{rgb}{\@urlbordercolor}%
192 \hypersetup{urlcolor=hyurlbordercolor}%
193 \hypersetup{pdfborder=0 0 0}%
194 \hrefhidetrue%
195 \PackageInfo{hrefhide}{OCG-link coloring ON\MessageBreak}%
196 \fi%
197 }
198
```

If link coloring is already ON, nothing is done. Otherwise `\hycon` looks for the color of the border of a link type and sets the color of the text of that link type to that color.

\hycoff This package on the one hand uses the `ocgcolor` option of the `hyperref` package, but on the other hand does not really want colored links (see 3). Thus we simulate to turn it off:

```
199 \DeclareRobustCommand{\hycoff}{%
200 \ifhrefhide%
201 \@ifundefined{@anchorbordercolor}{%
202 \xdef\hrefhide@anchorbordercolor{\@anchorcolor}%
203 }{\hypersetup{anchorbordercolor=\@anchorcolor}%
204 }%

```

because there is no `anchorborder(color)` in `hyperref`.

```
205 \hypersetup{anchorcolor=\hrefhide@linktextcolour}%
206 \hypersetup{citebordercolor=\@citecolor}%
207 \hypersetup{citecolor=\hrefhide@linktextcolour}%
208 \hypersetup{filebordercolor=\@filecolor}%
209 \hypersetup{filecolor=\hrefhide@linktextcolour}%
210 \hypersetup{linkbordercolor=\@linkcolor}%
211 \hypersetup{linkcolor=\hrefhide@linktextcolour}%
212 \hypersetup{menubordercolor=\@menucolor}%
213 \hypersetup{menucolor=\hrefhide@linktextcolour}%
214 \hypersetup{runbordercolor=\@runcolor}%
215 \hypersetup{runcolor=\hrefhide@linktextcolour}%
216 \hypersetup{urlbordercolor=\@urlcolor}%
217 \hypersetup{urlcolor=\hrefhide@linktextcolour}%
218 \hypersetup{pdfborder=\hrefhide@pdfborder}%
219 \hrefhidefalse%

```

If link coloring is already OFF, nothing is done. Otherwise the color of the respective border is set to the color of the text of the link type, setting the color of the text of the link type to `\hrefhide@linktextcolour` (default: black) and the link border again to `\hrefhide@pdfborder` (default: rectangle with 1 pt line thickness).

While link coloring is really ON, we thus emulate the behaviour of link coloring OFF, therefore we give this message:

```
220 \PackageInfo{hrefhide}{OCG-link coloring OFF (sort of; hrefhide package)%
221 \MessageBreak}%
222 \else%
223 \PackageWarning{hrefhide}{\string\hycoff\space called when OCG-link %

```

```

224 coloring was not ON\MessageBreak%
225 - nothing done}%
226 \fi%
227 }
228

```

Nevertheless, all restrictions of `ocgcolorlinks`, e. g. no links breaking over lines, still prevail!

`\hrefdisplayonly` The command `\hrefdisplayonly` is defined:

```

229 \DeclareRobustCommand{\hrefdisplayonly}[2]{%
230 {\color{\hrefhide@backgroundcolour}\href{#1}{#2}}}
231

```

which just sets the color of the link to `\hrefhide@backgroundcolour` for printing, thereby turning it “invisible”.

`\AddToHook{begindocument}`

```

232 \AddToHook{begindocument}{%

```

Here it is checked whether the `hyperref` package was loaded with option `ocgcolorlinks`. (`hrefhide` calls it with option `ocgcolorlinks` (i. e. `=true`), but in the preamble it would be possible to really turn it off again by `\hypersetup{ocgcolorlinks=false}`. This `hrefhide` package needs the `hyperref` package with option `ocgcolorlinks`. If package and/or option are/is missing, the appropriate error message is given.

```

233 \IfPackageLoadedWithOptionsTF{hyperref}{ocgcolorlinks}{\hrefhidetrue}{%
234 \hrefhidefalse%
235 \PackageError{hrefhide}{hyperref package missing option ocgcolorlinks}{%
236 The package hrefhide needs the hyperref package\MessageBreak%
237 with option ocgcolorlinks.\MessageBreak%
238 That option is missing!\MessageBreak%
239 Now the link(s) will be 'hidden' in pdf view also.\MessageBreak%
240 }%
241 }%

```

We check whether `\Hy@driver` is `hpdftex`, i. e. a .pdf-file is in production.

```

242 \def\hrefhide@driver{hpdftex}%
243 \ifx\Hy@driver\hrefhide@driver\relax%
244 \else%

```

If this is not the case (for example for a .dvi-file), the error message is given.

```

245 \PackageError{hrefhide}{Producing not a pdf file}{%
246 The package hrefhide only works for a pdf file,\MessageBreak%
247 but driver \Hy@driver\space instead of \hrefhide@driver\space%
248 was found.\MessageBreak%
249 Use pdfLaTeX to compile your document.\MessageBreak%
250 (Probably no large harm was done, but the respective\MessageBreak%
251 link text will neither be hidden when printing.)\MessageBreak%
252 }%
253 \fi%

```

Because we need link coloring, we use option `ocgcolorlinks`, but because we do not want colored links, we emulate the behaviour of link coloring OFF, therefore `\hycoff` is used at the beginning:

```

254 \hycoff%
255 }
256
257 \end{package}

```


6 Installation

6.1 Downloads

Everything is available at <https://www.ctan.org>, but may need additional packages themselves.

`hrefhide.dtx` For unpacking the `hrefhide.dtx` file and constructing the documentation it is required:

- T_EX Format L^AT_EX 2_ε 2024-11-01 or newer: <https://www.CTAN.org>
- document class `ltxdoc`, 2024/02/08, v2.1j, <https://www.ctan.org/pkg/ltxdoc>
- package `holtxdoc`, 2019/12/09, v0.30, <https://www.ctan.org/pkg/holtxdoc>

`hrefhide.sty` The `hrefhide.sty` for L^AT_EX 2_ε (i.e. each document using the `hrefhide` package) requires:

- T_EX Format L^AT_EX 2_ε 2024-11-01 or newer, <https://www.CTAN.org>
- package `xcolor`, 2024/09/29, v3.02, <https://www.ctan.org/pkg/xcolor>
- package `hyperref`, 2024-11-05, v7.011, <https://www.ctan.org/pkg/hyperref>
- package `hrefhide`, 2025-01-27, v1.1b, <https://www.ctan.org/pkg/hrefhide>
(Because you are reading the documentation for the `hrefhide` package, it can be assumed that you already have some version of it – is it the current one?)

`hrefhide-example.tex` The `hrefhide-example.tex` requires the same files as all documents using the `hrefhide` package (see preceding paragraph `hrefhide.sty`) and additionally:

- class `article`, 2024/06/29, v1.4n, from classes: <https://ctan.org/pkg/classes>
- package `lipsum`, 2021-09-20, v2.7, <https://www.ctan.org/pkg/lipsum>
This package is only needed for some blind text.

Alternatives As possible alternatives in section 3, Alternatives, there are listed (newer versions might be available):

- package `hyperref`, 2023-02-07, v7.00v, <https://www.ctan.org/pkg/hyperref>
with option `ocgcolorlinks` and `{\color{white}\href{...}{...}}`.
- package `pdfcomment`, 2024-11-05, v7.011, <https://www.ctan.org/pkg/pdfcomment>
for text **outside** of links
- package `ocgx2`, 2024-09-16, v060, <https://www.ctan.org/pkg/ocgx2>

`Oberdiek` All packages of the ‘`oberdiek`’ bundle (especially `holtxdoc`) are also available in
`holtxdoc` a TDS compliant ZIP archive:
<https://mirror.ctan.org/install/macros/latex/contrib/oberdiek.tds.zip>.
It is probably best to download and use this, because the packages in there are quite probably both recent and compatible among themselves.

`hyperref` `hyperref` is not included in that bundle and needs to be downloaded separately,
<https://mirror.ctan.org/install/macros/latex/contrib/hyperref.tds.zip>.

`Münch` A hyperlinked list of my (other) packages can be found at
<https://www.ctan.org/author/muench-hm>.

6.2 Package, unpacking TDS

Package. This package is available on <https://www.CTAN.org>.

<https://mirror.ctan.org/macros/latex/contrib/hrefhide/hrefhide.dtx>

The source file.

<https://mirror.ctan.org/macros/latex/contrib/hrefhide/hrefhide.pdf>

The documentation.

<https://mirror.ctan.org/macros/latex/contrib/hrefhide/hrefhide-example.pdf>

The compiled example file, as it should look like.

<https://mirror.ctan.org/macros/latex/contrib/hrefhide/README>

The README file.

There is also a `hrefhide.tds.zip` available:

<https://mirror.ctan.org/install/macros/latex/contrib/hrefhide.tds.zip>

Everything in TDS compliant, compiled format.

which additionally contains

<code>hrefhide.ins</code>	The installation file.
<code>hrefhide.drv</code>	The driver to generate the documentation.
<code>hrefhide.sty</code>	The <code>.sty</code> file.
<code>hrefhide-example.tex</code>	The example file.

For required other packages, please see the preceding subsection.

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `..dtx` through plain \TeX :

```
tex hrefhide.dtx
```

About generating the documentation see paragraph 6.4 below.

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

<code>hrefhide.sty</code>	→ <code>tex/latex/hrefhide.sty</code>
<code>hrefhide.pdf</code>	→ <code>doc/latex/hrefhide.pdf</code>
<code>hrefhide-example.tex</code>	→ <code>doc/latex/hrefhide-example.tex</code>
<code>hrefhide-example.pdf</code>	→ <code>doc/latex/hrefhide-example.pdf</code>
<code>hrefhide.dtx</code>	→ <code>source/latex/hrefhide.dtx</code>

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

6.3 Refresh file name databases

If your \TeX distribution (\TeX Live, MiK \TeX , ...) relies on file name databases, you must refresh these. For example, \TeX Live users run `texhash` or `mktextlsr`.

6.4 Some details for the interested

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{hrefhide.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by a configuration file `ltxdoc.cfg`. For instance, put the following line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex hrefhide.dtx
makeindex -s gind.ist hrefhide.idx
pdflatex hrefhide.dtx
makeindex -s gind.ist hrefhide.idx
pdflatex hrefhide.dtx
```

6.5 Compiling the example

The example file, `hrefhide-example.tex`, can be compiled via

```
pdflatex hrefhide-example.tex
```

(but **not** `latex hrefhide-example.tex!`)

and will need at least two compiler runs to get all references right.

7 Acknowledgements

I would like to thank HEIKO OBERDIEK for providing a lot of useful packages (from which I also got everything I know about creating a file in `.dtx` format, ok, say it: copying).

8 History

[2010/02/18 v0.1]

- First idea about this as a reply of mine to a question on [news:comp.text.tex](https://groups.google.com/g/comp.text.tex/c/JGXs0n2UUhw/m/o9c3KL_u2YAJ) (Subject: "Hiding" interactive parts of pdf when printing), see e.g. https://groups.google.com/g/comp.text.tex/c/JGXs0n2UUhw/m/o9c3KL_u2YAJ.

[2010/06/01 v1.0(a)]

- First version of the hrefhide package.

[2010/06/03 v1.0b]

- Example adapted to other examples of mine.
- Updated references to other packages.
- TDS locations updated.
- Several changes in the documentation and the Readme file.

[2010/06/24 v1.0c]

- pdfcomment package listed as alternative for text **outside** of hyperlinks.
- holtxdoc warning in drv updated.
- Corrected the location of the package at CTAN.
(In that version TDS was still missing due to packaging error.)
- Updated reference to other package: hyperref.

[2010/07/29 v1.0d]

- Corrected given url of `hrefhide.tds.zip` and other urls.
- Included a url for the newsgroup post (in History).
- Included a `\Checksum` [later removed].

[2011/02/01 v1.0e]

- Changed the `\unit` definition (got rid of an old `\rm`).
[Removed in version 1.1a.]
- Moved the package from `.../latex/muench/hrefhide/...` to `.../latex/hrefhide/....`

[2011/04/29 v1.0f]

- The `holtxdoc` package was fixed (then: 2011/02/04, v0.21), therefore the warning in `drv` could be removed. – Adapted the style of this documentation to new OBERDIEK `dtx` style.
- Removed the `ltxdoc.cfg` file for the documentation.
- Bug fix: The previous versions only hide links of type “link”. Now the types citation, page reference, URL, local file reference, and “other links”-type are “hidden”.
- With `\hycon` and `\hycoff` it is now possible to *simulate* the switching on/off of `ocgcolorlinks` in the document.
- Instead of `color` now the `xcolor` package is used.
- A lot of details.

[2023-02-26 v1.1a]

- Made the `\newcommands` robust.
- Removed `\unit`.
- Converted to UTF-8.
- Updated to [then] current L^AT_EX format.
- Extensive updates of the Documentation and README.

[2025-01-27 v1.1b]

- No longer loads `kvotions` (but `hyperref` does).
- Updates of the documentation.

When you find a mistake or have a suggestion for an improvement of this package, please send an e-mail to the maintainer, thanks! (Please see BUG REPORTS in the README.)

9 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

A		I	
<code>\AddToHook{\begindocument}</code>	8	<code>\ifhrefhide</code>	167, 170, 200
<code>\Alternatives</code>	9		
B		L	
<code>\backgroundcolour</code>	2	<code>\linktextcolour</code>	2
H		M	
<code>\holtxdoc</code>	9	<code>\Münch</code>	9
<code>\hrefdisplayonly</code>	43, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 137, <u>229</u>		
<code>\hrefhide-example.tex</code>	9	<code>\Oberdiek</code>	9
<code>\hrefhide.dtx</code>	9	<code>\ocgcolorlinks</code>	3
<code>\hrefhide.sty</code>	9	<code>\ocgx2</code>	3
<code>\hycoff</code>	7, 90, 91, <u>199</u> , 254	<code>\options</code>	2
<code>\hycon</code>	6, 85, 86, <u>169</u>		
<code>\hyperref</code>	9	P	
		<code>\pdfborder</code>	2
		<code>\pdfcomment</code>	3